

**TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371**

CM2038

U.S. APPLICATION NO. (if known, see 37 CFR 1.5)

09/890921

INTERNATIONAL APPLICATION NO.

PCT/US00/04082

INTERNATIONAL FILING DATE

17 February 2000

PRIORITY DATE CLAIMED

19 February 1999

TITLE OF INVENTION

Cosmetic Compositions

APPLICANT(S) FOR DO/EO/US

Bell, Michael David et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information.

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This express request to begin national examination procedures (35 U.S.C. 371(f) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(I).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application was filed (35 U.S.C. 371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ has been transmitted by the International Bureau.
 - c. ☒ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has **NOT** expired.
 - d. ☒ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
14. ☐ A substitute specification.
15. ☒ A change of power of attorney and/or address letter.
16. ☐ Other items or information:


"Express Mail" mailing label number

Date of Deposit

I hereby certify that this paper/fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to The Assistant Commissioner of Patents, Washington, D.C. 20231

Administrator Mailing Application

Signature

U.S. APPLICATION NO. (if known, see 37 CFR 1.5) 09/890921		INTERNATIONAL APPLICATION NO. PCT/US00/04082		ATTORNEY'S DOCKET NUMBER CM2038	
				CALCULATIONS PTO USE ONLY	
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$710	
Surcharge of \$130.00 for furnishing the oath or declaration later than [] 20 [] 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$0	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total Claims	16-20 =	0	x \$18.00	\$0	
Independent Claims	3-3 =	0	x \$80.00	\$0	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			\$270.00	\$0	
TOTAL OF ABOVE CALCULATIONS =				\$710	
Processing fee of \$130.00 for furnishing the English translation later than [] 20 [] 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$0	
TOTAL NATIONAL FEE =				\$710	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28,3.31). \$40.00 per property +				\$0	
TOTAL FEES ENCLOSED =				\$710	
				Amount to be refunded	\$
				charged	\$
<p>a. [] A check in the amount of \$ ____ to cover the above fees is enclosed.</p> <p>b. [x] Please charge my Deposit Account No. <u>16-2480</u> in the amount of \$ <u>710</u> to cover the above fees. A duplicate copy of this sheet is enclosed.</p> <p>c. [x] The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>16-2480</u> . A duplicate copy of this sheet is enclosed.</p> <p>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.</p> <p>SEND ALL CORRESPONDENCE TO:</p>					
A. E. Matthews, Patent Attorney Customer Number 27740				<div style="text-align: center;">  Signature </div> <div style="text-align: center;"> <u>T. David Reed</u> Name </div> <div style="text-align: center;"> <u>32,931</u> Registration Number </div>	

09890921 "080701"

09/890921

J003 Rec'd PCT/PTC

07 AUG 2001

Case CM2038

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Matter of:

U.S. National Phase Entry

Under 35 USC § 371 from

the International Application of :

BELL, Michael David et al :

Int'l Application No. PCT/US00/04082 :

Filed in the RO/US on 17 February 2000 :

Entitled: COSMETIC COMPOSITIONS

PRELIMINARY AMENDMENT UNDER 37 CFR § 1.112

Assistant Commissioner for Patents

Washington, D.C. 20231

Dear Sir:

Prior to Examination and computation of the fees for entering the captioned International Application into the U.S. National Phase, please preliminarily amend the above-identified application as follows and consider the following Remarks.

AMENDMENTS

IN THE CLAIMS

Please amend Claims as follows:

3. A composition according to Claim 2 wherein the cation containing polymer is a cationic polysaccharide or derivative thereof.
4. A composition according to Claim 3 wherein the cation containing polymer is an ampholytic acrylic acid containing copolymer.
5. A composition according to Claim 4 wherein the cation containing polymer is selected from cationic cellulosic derivatives, cationic polysaccharide guar gum derivatives and acrylic acid/diallyl dimethyl ammonium chloride/acrylamide copolymers, or mixtures thereof.
6. A composition according to Claim 5 comprising from about 0.01% to about 20% by weight of the cation containing polymer, or mixtures thereof.


09/890921-030701

REMARKS

Claims 1, 2, 15 and 16 remain in this application. Claims 3 thru 14 have been amended by eliminating multiple dependent claims and deleting preferably clauses. Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version With Markings to Show Changes Made".

The support for these amendments is found in the claims as originally filed. These amendments are being entered to bring the claims into conformance with, *inter alia*, 37 CFR §1.75; no new matter is added.

Respectfully submitted,

By 
T. David Reed
Agent for Applicants
Registration No. 32,931

06 August 2001
5299 Spring Grove Avenue
Cincinnati, Ohio 45217-1087
Phone: (513) 627-7025
FAX: (513) 627-6333

09890921-080701
T.02080 T.2606860

09/890921

JCO3 Rec'd POW/TC 07 AUG 2001

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the claims:

POW/TC 09/890921

WHAT IS CLAIMED IS:

1. A leave-on cosmetic composition suitable for topical application to the skin comprising:
 - a) a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000 and;
 - b) a cation containing polymer, or mixtures thereof;
 wherein said composition comprises less than 4% of an anionic, zwitterionic, or amphoteric surfactant.
2. A composition according to Claim 1 wherein the cation containing polymer is selected from cationic or ampholytic polymers, or mixtures thereof.
3. A composition according to ^{Claim 2} [any of Claims 1 to 2] wherein the cation containing polymer is a cationic polysaccharide or derivative thereof.
4. A composition according to ^{Claim 3} [any of Claims 1 to 3] wherein the cation containing polymer is an ampholytic acrylic acid containing copolymer.
5. A composition according to ^{Claim 4} [any of Claims 1 to 4] wherein the cation containing polymer is selected from cationic cellulosic derivatives, cationic polysaccharide guar gum derivatives and acrylic acid/diallyl dimethyl ammonium chloride/acrylamide copolymers, or mixtures thereof.
6. A composition according to ^{Claim 5} [any of Claims 1 to 5] comprising from about 0.01% to about 20% [preferably from about 0.05% to about 5%, more preferably from about 0.1% to about 1%] by weight of the cation containing polymer, or mixtures thereof.
7. A composition according to ^{Claim 6} [any of Claims 1 to 6] wherein the polymeric thickening agent has a number average molecular weight of greater than 50,000 and especially greater than 100,000.
8. A composition according to ^{Claim 7} [any of Claims 1 to 7] wherein the polymeric thickening agent is selected from selected from polyacrylamide polymers, and acrylic acid/ethyl acrylate copolymers, or mixtures thereof.

T02080-12505860

- 34
Claim 8
9. A composition according to [any of Claims 1 to 8] wherein the polymeric thickening agent is a polyacrylamide polymer.
- Claim 9
10. A composition according to [any of Claims 1 to 9] comprising from about 0.01% to about 10% [preferably from about 0.1% to about 8% and most preferably from about 0.5% to about 5%] by weight of the polymeric thickening agent, or mixtures thereof.
- Claim 10
11. A composition according to [any of Claims 1 to 10] further comprising from about 3% to about 20% of a polyhydric alcohol, or mixtures thereof.
- Claim 11
12. A composition according to [any of Claims 1 to 11] wherein the composition [preferably] comprises from less than 2% and more preferably less than 1% of an anionic, zwitterionic or amphoteric surfactant.
- Claim 12
13. A composition according to [any of Claims 1 to 12] wherein when the composition comprises an anionic surfactant, the composition has a ratio of cation containing polymer to anionic surfactant of greater than 1.
- Claim 13
14. A cosmetic method of treatment of the skin comprising applying to the skin a composition according to [any of Claims 1 to 13]
15. Use of a cation containing polymer, or mixtures thereof, for reducing levels of tack in a skin care composition comprising a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000.
16. Use of a composition comprising a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000 and a cation containing polymer, or mixtures thereof for a leave-on skin care application.

Cosmetic CompositionsTechnical Field

The present invention relates to cosmetic compositions. In particular it relates to cosmetic compositions with reduced levels of tack. The compositions further display good
5 moisturisation and in-use rub-in and absorption characteristics, as well as excellent skin feel, skin softness, and skin smoothness benefits.

Background of the Invention

Skin is made up of several layers of cells which coat and protect the keratin and collagen fibrous proteins that form the skeleton of its structure. The outermost of these layers,
10 referred to as the stratum corneum, is known to be composed of 25nm protein bundles surrounded by 8nm thick layers. Anionic surfactants and organic solvents typically penetrate the stratum corneum membrane and, by delipidization (i.e. removal of the lipids from the stratum corneum), destroy its integrity. This destruction of the skin surface topography leads to a rough feel and may eventually permit the surfactant or solvent to
15 interact with the keratin, creating irritation.

It is now recognised that maintaining the proper water gradient across the stratum corneum is important to its functionality. Most of this water, which is sometimes considered to be the stratum corneum's plasticizer, comes from inside the body. If the humidity is too low, such as in a cold climate, insufficient water remains in the outer
20 layers of the stratum corneum to properly plasticize the tissue, and the skin begins to scale and becomes itchy. Skin permeability is also decreased somewhat when there is inadequate water across the stratum corneum. On the other hand, too much water on the outside of the skin causes the stratum corneum to ultimately absorb three to five times its

own weight of bound water. This swells and puckers the skin and results in approximately a two to three fold increase in the permeability of the skin to water and other polar molecules.

Thus, a need exists for compositions which will assist the stratum corneum in maintaining its barrier and water-retention functions at optimum performance in spite of deleterious interactions which the skin may encounter in washing, work, and recreation.

Many cosmetic cream and lotion compositions are known to provide varying degrees of emolliency, barrier and water-retention (moisturising) benefits. They can, however, also suffer negatives in terms of skin feel and having poor rub-in and slow absorption into the skin. The skin feel of a composition, perceived by the consumer as skin softness or skin smoothness, is related to the emollients of a composition which form a film or layer upon application to the skin. Some cosmetic cream and lotion compositions have the desired skin feel, absorption and rub-in characteristics, but their water retention properties are poor. Desirable properties of cosmetic cream and lotion compositions are therefore good skin feel, water retention, absorption, and rub-in characteristics. The absorption and rub-in characteristics of a composition relate to its physical behaviour under mechanical stress which is affected by the rheological profile of the composition.

One means of altering the rheological profile of cosmetic compositions is to incorporate various amounts of polymeric thickening agents. Numerous types of thickeners are known and employed in cosmetic compositions. However, compositions comprising polymeric thickening agents often suffer negatives following application to the skin in terms of their perceived tack. Thickening agents such as polyacrylamides entangle in aqueous solution, forming networks and building viscosity. When such compositions are applied to the skin, the evaporation of water leads to an increase in the effective concentration of polymeric thickening agent which in turn leads to an increase in the viscosity of the dried film and the perceived tackiness of the residue. This tack is further exacerbated in the presence of polyhydric alcohols.

Thus, there remains a need for compositions which show low levels of tack, as well as providing excellent moisturisation, absorption, skin feel, skin softness and skin smoothness benefits.

EP-A-608353 discloses an aqueous gel comprising non-ionic polyacrylamide compounds for use in skin care compositions wherein said composition has a pH less than 4. The compositions may include additional ingredients such as various polymers for aiding the film forming properties and substantivity of the formulation.

- 5 Polymeric film forming agents such as polyquaternium-10 are described in US-A-5,103,763 as skin-feel-modifying compounds useful for skin care compositions which are resistant to removal when the skin is washed. In addition, US-A-4,938,951 describes compositions comprising evaporative solvents, polymeric film forming agents, and topically active agents. The compositions are described as providing an enhancement in
10 the effective activity of a topically active agent and specifically, that the film forming polymer has an ability to enhance the effective activity of the topically active agent.

Personal cleansing compositions comprising water soluble surfactants, glycerine and cationic film forming polymers such as polyquaternium-10 are described in for example, WO96/17917 and WO96/17916. Such compositions however also comprise greater than,
15 or equal to, 4% of anionic or amphoteric surfactants and are intended for use as a rinse off product. The compositions are also disclosed as optionally comprising a non-ionic or anionic polymeric thickening agent. Further, WO96/37589 describes personal cleansing compositions comprising a fatty alcohol thickener, cationic film forming polymers, anionic, amphoteric and zwitterionic surfactants.

- 20 It has now been unexpectedly found that by incorporating cation containing polymers into a leave-on cosmetic composition comprising a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000, a composition is provided with low levels of stickiness or tack. Without being limited by theory, it is thought that the incorporation of
25 charged polymers such as polyquaternium-10 in cosmetic compositions comprising networks of thickening agents results in the charged polymers locating within the thickener network, forcing said networks apart and thereby reducing the entanglement and perceived tack of the compositions. The compositions also show good absorption, insulation and water retention properties, in addition to skin feel, skin softness and skin
30 smoothness benefits and excellent moisturisation characteristics.

Summary of the Invention

According to one aspect of the present invention there is provided a leave-on cosmetic composition suitable for topical application to the skin comprising:

- 5 a) a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000 and;

- b) a cation containing polymer, or mixtures thereof;

wherein said composition comprises less than 4% of an anionic, zwitterionic or amphoteric surfactant.

10 The compositions of the invention display low levels of tack, as well as good rheological, absorption and insulation properties, in addition to skin feel, skin softness and skin smoothness benefits.

According to a second aspect of the present invention there is provided a cosmetic method of treatment of the skin comprising applying to the skin a composition according to the present invention.

According to a third aspect of the present invention there is provided a use of a cation containing polymer, or mixtures thereof, for reducing levels of tack in a skin care composition comprising a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000.

According to a fourth aspect of the present invention there is provided a use of a composition comprising a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000 and a cation containing polymer, or mixtures thereof for a leave-on skin care application.

Detailed Description of the Invention

- 15 The compositions of the present invention comprise a polymeric thickening agent selected from non-ionic or anionic thickening agents with an essential cation containing polymer

component, or mixtures thereof, as well as various optional ingredients as indicated below. All levels and ratios are by weight of total composition, unless otherwise indicated. Chain length and degrees of ethoxylation are also specified on a weight average basis.

- 5 The term "tack" or "tackiness", as used herein, in relation to a leave-on composition means the ability of a composition to lightly bond to skin surfaces where the composition has been applied, upon the application of light pressure and within a short time-scale.

The term "stickiness" or "sticky" as used herein, is a term often used by consumers to describe their perception of the tack, either actual or perceived of a composition.

- 10 As used herein the term "leave-on" in relation to skin care compositions means that it intended to be used without a rinsing step, such that after applying the composition to the skin, the leave-on composition is preferably left on the skin for a period of at least about 15 minutes, more preferably at least about 30 minutes, even more preferably at least about 1 hour, most preferably for at least several hours, e.g., up to about 12 hours.

- 15 The term "cation containing polymer" as used herein, means a polymer having 2% or more, preferably 5% or more or more preferably 10% or more on a molar weight basis of monomers that contain cationic charge at pH 4.

The term "ampholytic" as used herein, means a polymer which comprises cationic and anionic monomers.

- 20 The term "copolymer" as used herein, means the combination of more than one chemically different monomer.

The term "zwitterionic" as used herein, means a compound which bears both positive and negative charges and exists as a dipolar ion in a wide range of pH.

- 25 The term "amphoteric" as used herein, means a compound which exhibits cationic behaviour at low pH and anionic behaviour at high pH. At intermediate pH, called the isoelectric point, the compound bears both positive and negative charges i.e. it is a dipolar ion.

The term "basic" as used herein, means a polymer which shows increasing cationic charge with decreasing pH.

The term "skin conditioning agent", as used herein means a material which is capable of providing a cosmetic conditioning benefit to the skin such as moisturization, humectancy (i.e. the ability to retain or hold water or moisture in the skin), emolliency, visual improvement of the skin surface, soothing of the skin, softening of the skin, and improvement in skin feel.

The term "non-occlusive" as used herein, means that the component as so described does not substantially or block the passage of air and moisture through the skin surface.

The present compositions can be used for any suitable purpose. In particular, the present compositions are suitable for topical application to the skin. In particular, the skin care compositions can be in the form of creams, lotions, gels, and the like. Preferably the cosmetic compositions herein are in the form of an emulsion of one or more oil phases in an aqueous continuous phase.

Polymeric Thickening Agents

As an essential component, the compositions of the present invention comprise a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000. More preferably, polymeric thickening agents of the present invention have a number average molecular weight of greater than 50,000 and especially greater than 100,000.

In general, the compositions of the present invention comprise from about 0.01% to about 10%, preferably from about 0.1% to about 8% and most preferably from about 0.5% to about 5% by weight of the composition of the polymeric thickening agent, or mixtures thereof.

When employing polymeric thickening agents in compositions herein, monovalent to multivalent metal ion levels should preferably less than 1%, more preferably less than 0.25% and even more preferably less than 0.05% so as not to unduly interfere with the stability of the polymers.

Preferred non-ionic thickening agents include polyacrylamide polymers, crosslinked poly(N-vinylpyrrolidones), polysaccharides, natural and synthetic gums, polyvinylpyrrolidone, and polyvinylalcohol. Preferred anionic thickening agents include

acrylic acid/ethyl acrylate copolymers, carboxyvinyl polymers and crosslinked copolymers of alkyl vinyl ethers and maleic anhydride. Particularly preferred thickening agents for use herein are the non-ionic polyacrylamide polymers and acrylic acid/ethyl acrylate copolymers, or mixtures thereof. Even more particularly preferred for use herein are the non-ionic polyacrylamide polymers.

Polyacrylamide Polymers The non-ionic polyacrylamide polymers useful herein are substituted polyacrylamides, branched or unbranched. These polymers are non-ionic water dispersible polymers which can be formed from a variety of monomers including acrylamide and methacrylamide which are unsubstituted or substituted with one or two alkyl groups (preferably C₁-C₅). Preferred are acrylate amides and methacrylate amides in which the amide nitrogen is unsubstituted, or substituted with one or two C₁-C₅ alkyl groups (preferably: methyl, ethyl or propyl), for example, acrylamide, methacrylamide, N-methacrylamide, N-methylmethacrylamide, N,N-dimethylmethacrylamide and N,N-dimethylacrylamide. These monomers are generally disclosed in US Pat. No. 4,963,348 to Bolich, Jr. et al., issued Oct. 16., 1990, incorporated by reference herein. These copolymers may optionally be formed using conventional neutral crosslinking agents such as dialkenyl compounds. The use of such crosslinking agents for cationic polymers is disclosed in US Pat. No. 4,628,078 to Glover et al. issued Dec. 9, 1986 and US Pat. No. 4,599,379 to Flesher et al. issued Jul. 8, 1986 both of which are incorporated by reference herein. These non-ionic co-polymers have a molecular weight greater than about 1,000,000 preferably greater than about 1,500,000 and range up to about 30,000,000. Preferably as a result of being synthesised by reverse phase emulsion polymerisation, these non-ionic polyacrylamides are predispersed in a water-immiscible solvent such as mineral oil and the like, containing a high HLB surfactant (HLB from about 7 to about 10) which helps to facilitate water dispersibility of the polyacrylamide. Most preferred for use herein is the non-ionic polymer under the CTFA designation: polyacrylamide and isoparaffin and laureth-7, available under the trade name Sepigel 305 from Seppic Corporation.

Other polyacrylamide polymers useful herein include multi-block copolymers of acrylamides and substituted acrylamides with acrylic acids and substituted acrylic acids.

Commercially available examples of these multi-block copolymers include Hypan SR150H, SS500V, SS500W, SSSA100H, from Lipo Chemicals, Inc., (Patterson, NJ).

Crosslinked poly(N-vinylpyrrolidones) Crosslinked polyvinyl(N-pyrrolidones) useful herein include those described in U.S. Patent No. 5,139,770, to Shih et al, issued August 18, 1992, and U.S. Patent No. 5,073,614, to Shih et al., issued December 17, 1991. These gelling agents typically contain from about 0.25% to about 1% by weight of a crosslinking agent selected from the group consisting of divinyl ethers and diallyl ethers of terminal diols containing from about 2 to about 12 carbon atoms, divinyl ethers and diallyl ethers of polyethylene glycols containing from about 2 to about 600 units, dienes having from about 6 to about 20 carbon atoms, divinyl benzene, vinyl and allyl ethers of pentaerythritol, and the like. Typically, these gelling agents have a viscosity from about 25,000 mPa.s (cps) to about 40,000 mPa.s (cps) when measured as a 5% aqueous solution at 25°C using a Brookfield RVT viscometer with Spindle #6 at 10 rpm. Commercially available examples of these polymers include ACP-1120, ACP-1179, and ACP-1180, available from International Speciality Products (Wayne, NJ).

Polysaccharides A wide variety of polysaccharides are suitable for use herein. By "polysaccharides" are meant gelling agents containing a backbone of repeating sugar (i.e. carbohydrate) units. Non-limiting examples of polysaccharide gelling agents include those selected from the group consisting of cellulose, carboxymethyl hydroxyethylcellulose, cellulose acetate propionate carboxylate, hydroxyethylcellulose, hydroxyethyl ethylcellulose, hydroxypropylcellulose, hydroxypropyl methylcellulose, methyl hydroxyethylcellulose, microcrystalline cellulose, sodium cellulose sulfate, and mixtures thereof. Also useful herein are the alkyl substituted celluloses. In these polymers, the hydroxy groups of the cellulose polymer is hydroxyalkylated (preferably hydroxyethylated or hydroxypropylated) to form a hydroxyalkylated cellulose which is then further modified with a C10-C30 straight chain or branched chain alkyl group through an ether linkage. Typically these polymers are ethers of C10-C30 straight or branched chain alcohols with hydroxyalkylcelluloses. Examples of alkyl groups useful herein include those selected from the group consisting of stearyl, isostearyl, lauryl, myristyl, cetyl, isocetyl, cocoyl (i.e. alkyl groups derived from the alcohols of coconut

oil), palmityl, oleyl, linoleyl, linolenyl, ricinoleyl, behenyl, and mixtures thereof. For those materials based on hydroxyethylcellulose, the hydroxyethyl molar substitution is greater than 3.0. Preferred among the alkyl hydroxyalkyl cellulose ethers is the material given the CTFA designation cetyl hydroxyethylcellulose, which is the ether of cetyl
5 alcohol and hydroxyethylcellulose. This material is sold under the tradename Natrosol® CS Plus from Aqualon Corporation.

Other useful polysaccharides include scleroglucans comprising a linear chain of (1->3) linked glucose units with a (1->6) linked glucose every three units, a commercially available example of which is Clearogel™ CS11 from Michel Mercier Products Inc.
10 (Mountainside, NJ).

Gums Other thickening agents useful herein include materials selected from acacia, agar, algin, alginic acid, ammonium alginate, amylopectin, calcium alginate, calcium carrageenan, carnitine, carrageenan, dextrin, gelatin, gellan gum, hectorite, hyaluroinic acid, hydrated silica, hydroxypropyl chitosan, karaya gum, kelp, locust bean gum, natto
15 gum, potassium alginate, potassium carrageenan, propylene glycol alginate, sclerotium gum, sodium carboxymethyl dextran, sodium carrageenan, tragacanth gum, xanthan gum, and mixtures thereof.

Also useful are acrylic acid/ethyl acrylate copolymers and the carboxyvinyl polymers sold by the B.F. Goodrich Company under the trade mark of Carbopol resins. Suitable
20 Carbopol resins are described in WO98/22085.

Crosslinked copolymers of alkyl vinyl ethers and maleic anhydride In these copolymers the vinyl ethers are represented by the formula $R-O-CH=CH_2$ wherein R is a C1-C6 alkyl group, preferably R is methyl. Preferred crosslinking agents are C4-C20 dienes, preferably C6 to C16 dienes, and most preferably C8 to C12 dienes. A particularly
25 preferred copolymer is one formed from methyl vinyl ether and maleic anhydride wherein the copolymer has been crosslinked with decadiene, and wherein the polymer when diluted as a 0.5% aqueous solution at pH 7 at 25°C has a viscosity of 50,000-70,000 mPa.s (cps) when measured using a Brookfield RTV viscometer, spindle #7 at 10 rpm. This copolymer has the CTFA designation PVM/MA decadiene crosspolymer and is

commercially available as Stabileze™ 06 from International Specialty Products (Wayne NJ).

Cation Containing Polymer

As a further essential component, the compositions herein comprise a cation containing
5 polymer as hereinbefore described, or mixtures thereof.

The compositions of the present invention preferably comprise from about 0.01% to about 20%, more preferably from about 0.05% to about 5%, and especially from about 0.1% to about 1% by weight of the cation containing polymer, or mixtures thereof.

Preferably, the cation containing polymers herein are water soluble, dispersible or
10 swellable. By "water swellable" is meant the ability of the cation containing polymers to increase in volume or expand in aqueous solution.

Suitable cation containing polymers for compositions herein include cationic, ampholytic, amphoteric, basic and zwitterionic polymers, or mixtures thereof.

Suitable cationic polymers for compositions herein include cationic polysaccharides or
15 derivatives thereof, cationic homo or copolymers of dimethyldiallylammonium chloride, cationic copolymers comprising vinylpyrrolidone; cationic copolymers comprising acrylic acid or derivatives thereof, cationic homo or copolymers of ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, chloride, Polyquaternium-2 and quaternised chitosan, or mixtures thereof. Preferred cation containing polymer for
20 compositions herein are cationic polysaccharides or derivatives thereof.

Suitable non-limiting examples of cationic polysaccharides include the following: cellulose; hydroxyalkylcelluloses e.g. hydroxyethyl cellulose; cationic cellulosic derivatives having a molecular weight in the range of from 120,000 to 2,000,000, involving quaternary ammonium groupings, such as, for example a polymeric quaternary
25 ammonium salt of hydroxyethyl cellulose reacted with a trimethyl ammonium substituted epoxide, more specifically, cellulose ω -ether modified with α -[2-hydroxy-3-trimethylammonio)propyl]- ω -hydroxypoly(oxy-1, 2-ethanediyl)chloride, known in the industry under the (CTFA) trade designation Polyquaternium-10, commercially available from Union Carbide Corporation (Danbury, Conn., USA) as "JR" and "LR" e.g. "JR-

125", "JR-400", "JR-30M", "LR-500", diallyl dimethyl ammonium chloride/hydroxyethyl cellulose copolymers, referred to in the industry (CTFA) as Polyquaternium-4, available under the trade names "Celquat L 200" or "Celquat H-100" from the National Starch Company (Salisbury, NC, USA) and polymeric quaternary ammonium salts of hydroxyethyl cellulose reacted with a lauryl dimethyl ammonium substituted epoxide "Quatrisoft Polymer LM-200", referred to in the industry as Polyquaternium-24, available from Amerchol Corp. (Edison, NJ, USA); starches for example, cationic starches such as, 2-hydroxy-3-trimethyl ammonium chloride propyl ether of starch, commercially available under the trade name "Sta-Loc 300" and "Sta-Loc 400" from Staley Inc. (Decatur, Ill., USA) which has been reacted with quaternary amines to form ethers at a hydroxyl position, hydroxyalkylstarches, polymers based on arabinose monomers, polymers derived from xylose, polymers derived from fucose, polymers derived from fructose, polymers based on acid-containing sugars such as galacturonic acid and glucuronic acid, polymers based on amine sugars such as galactosamine and glucosamine particularly acetylglucosamine, polymers based on 5 or 6 membered ring polyalcohols, polymers based on galactose, and polymers based on mannose monomers.

Suitable cationic polysaccharide gum derivatives include derivatives of polymers based on galactomannan copolymer known as guar gum. For example, compounds such as hydroxypropyl guar gums, commercially available under the trade name "Jaguar HP-60", "Jaguar HP-8", "Jaguar HP-79", "Jaguar HP-120", "Jaguar HP-200", from Rhône-Poulenc or "Galactasol" available from Aqualon; hydroxypropyl guar hydroxypropyltrimonium chloride commercially available under the trade name "Jaguar C-162" from Rhône-Poulenc; or polymeric compounds such as guar hydroxypropyltrimonium chloride, commercially available for example under the trade name "Jaguar C-14S", "Jaguar C-17", "Jaguar C-13S" from Rhône-Poulenc, "N-Hance" e.g. "N-Hance 2196" from Aqualon, Hercules Inc., (Zwijndrecht, The Netherlands), or "Cosmedia Guar C-261" from Henkel Inc (Teaneck, NJ, USA).

Suitable cationic homo or copolymers of dimethyldiallylammonium chloride for use herein are poly(dimethyldiallylammonium chloride) commercially available under the trade designation Polyquaternium-6 or trade names "Merquat 100" from Calgon (Pittsburg, PA, USA), "Agequat 400" from CPS Chemical Company (West Memphis,

AR, USA), or "Mirapol 100" from Rhône-Poulenc; and the polymeric quaternary ammonium salt consisting of acrylamide and dimethyl diallyl ammonium chloride monomers commercially available under the trade designation Polyquaternium-7 or trade names "Merquat 550" from Calgon (Pittsburg, PA, USA).

- 5 Suitable cationic copolymers comprising vinylpyrrolidone for use herein include the polyvinylpyrrolidone N,N-dimethyl aminoethyl methacrylic acid copolymer diethyl sulfate solution commercially available under the trade designation Polyquaternium-11 or trade name "Gafquat 755N" from ISP (Wayne, NJ, USA); the polymeric quaternary ammonium salt formed from methylvinylimidazolium chloride and vinylpyrrolidone
- 10 commercially available under the trade designation Polyquaternium-16 or trade name "Luviquat FC 370" from BASF (Parsippany, NJ, USA); the vinylpyrrolidone/methacrylamidopropyltrimethylammonium chloride copolymer commercially available under the trade designation Polyquaternium-28 or trade name "Gafquat HS-100" from ISP (Wayne, NJ, USA); the polymeric quaternary ammonium salt
- 15 consisting of vinylpyrrolidone and quaternised imidazoline monomers commercially available under the trade designation Polyquaternium-44 or trade name "Luviquat MS-370" from BASF (Parsippany, NJ, USA); and the quaternary ammonium salt prepared by the reaction of vinylcaprolactam and vinylpyrrolidone with methylvinylimidazolium methosulfate commercially available under the trade designation Polyquaternium-46 or
- 20 trade name "Luviquat Hold" from BASF (Parsippany, NJ, USA).

Suitable cationic copolymers comprising acrylic acid or derivatives thereof include the polymeric quaternary ammonium salt prepared by the reaction of ethylmethacrylate/abiethylmethacrylate/diethylaminoethyl methacrylate copolymer with dimethyl sulfate commercially available under the trade designation Polyquaternium-12;

25 the polymeric material; and the copolymer of acrylamide, acrylamidopropyltrimonium chloride, 2-amidopropylacrylamide sulfonate and DMAPA monomers commercially available under the trade designation Polyquaternium-43 or trade name "Bozequat 4000" from Societe Francaise Hoescht.

Suitable cationic homo or copolymers of ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,chloride, useful herein are the polymeric material commercially


30

available under the trade designation Polyquaternium-45 or trade name "Plex 3073L" from Rohm GmbH (Germany); the polymeric material, ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,chloride, polymer with 2-propenamide commercially available under the trade designation Polyquaternium-32 or trade name "Salcare SC92" from Allied Colloids (Bradford, N.Yorkshire, UK); and the polymeric material, ethanaminium, N,N,N-trimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-,chloride, homopolymer commercially available under the trade designation Polyquaternium-37 or trade name "Salcare SC95" from Allied Colloids (Bradford, N.Yorkshire, UK).

Other suitable cationic polymers useful herein are poly(oxy-1,2-ethanediyl)(dimethyliminio)-1,3-propanediylimino carbonyl-imino-1,2-propanediyl(-dimethyliminio)-1,2-ethanediyl dichloride known in the industry as Polyquaternium-2 and commercially available under the trade name Mirapol A-15 from Rhône-Poulenc; and dihydroxypropyl chitosan trimonium chloride commercially available under the trade designation Polyquaternium-29 or trade name Kytamer KC from Amerchol.

Suitable ampholytic polymers for the compositions herein are ampholytic acrylic acid containing copolymers and include the copolymer of dimethyldiallyl ammonium chloride and acrylic acid commercially available under the trade designation Polyquaternium-22 or trade name "Merquat 280" from Calgon (Pittsburg, PA, USA); acrylic acid/diallyl dimethyl ammonium chloride/acrylamide copolymers commercially available under the trade designation Polyquaternium-39 or trade name "Merquat Plus 3330" and "Merquat Plus 3331" from Calgon (Pittsburg, PA, USA) and the quaternary ammonium salt formed by the polymerisation of acrylic acid, methyl acrylate and methacrylamidopropyltrimonium chloride commercially available under the trade designation Polyquaternium-47 or trade name "Merquat 2001N" from Calgon (Pittsburg, PA, USA).

Suitable amphoteric polymers for the compositions herein include combinations of tertiary amine monomers combined with anionic monomers and may further include non-ionic monomers, for example, a methacrylamidopropyldimethyl ammonium/acrylic acid copolymer; and polymers derived from methacrylamidoethylcarboxymethylhydroxyethyl amine monomers as shown below:



Suitable basic polymers for the compositions herein include include homopolymers of tertiary amine derivatives and copolymers with non-ionic monomers. Examples of suitable materials include the polyvinylpyrrolidone/dimethylaminoethylmethacrylate copolymer prepared from vinylpyrrolidone and dimethylaminoethylmethacrylate monomers commercially available under the trade designation PVP/Dimethylaminoethylmethacrylate copolymer or trade name "Copolymer 845/937/958" from ISP (Wayne, NJ, USA); Amine derived polymers such as ethyleneimine polymers which conform to the general formula $(\text{CH}_2\text{CH}_2\text{NH})_n$; such as PEI-10 where n has an average value of 10, commercially available under the trade name "Polymine FG" from BASF; PEI-15 where n has an average value of 15, commercially available under the trade name "Epomine SP-006" from Aceto; PEI-45 where n has an average value of 45, commercially available under the trade name "Epomine SP-018" from Aceto; or PEI-1400 where n has an average value of 1400, commercially available under the tradename "Nalco 634" from Nalco.

Suitable zwitterionic polymers for the compositions herein include polymers derived from a methacrylamidopropylbetaine monomer such as a copolymer of methacrylamidopropylbetaine and a non-ionic monomer. An example of such a polymer is a copolymer of vinylpyrrolidone/methacrylamidopropylbetaine.

Preferred cation containing polymers of the present invention are cationic or ampholytic polymers. Preferred for use herein are cationic or ampholytic polymers selected from cationic polysaccharides or derivatives thereof and ampholytic acrylic acid containing copolymers, or mixtures thereof. Even more preferred are cation containing polymers selected from cationic cellulosic derivatives, cationic polysaccharide guar gum derivatives and acrylic acid/diallyl dimethyl ammonium chloride/acrylamide copolymers, or mixtures thereof. Most preferred cation containing polymers of the compositions of the present invention are selected from polyquaternium-10, guar hydroxypropyltrimonium chloride,

hydroxypropyl guar gums and acrylic acid/diallyl dimethyl ammonium chloride/acrylamide copolymers or mixtures thereof.

Preferably, the compositions of the present invention comprise less than 4% of an anionic surfactant, zwitterionic or amphoteric surfactant, more preferably less than 2% and most preferably less than 1% of an anionic surfactant, zwitterionic or amphoteric surfactant .

In a preferred embodiment, when the compositions of the present invention comprise an anionic surfactant, the composition has a ratio of cation containing polymer to anionic surfactant of greater than 1.

In a further preferred embodiment, the compositions herein may comprise from about 0% to about 2%, and more preferably from about 0.01% to about 1% of a C₈ to C₃₀ fatty acid.

Polyhydric Alcohols

In a further preferred embodiment of the present invention, the compositions herein comprise one or more polyhydric alcohols.

When polyhydric alcohols are present, the compositions of the present invention preferably comprise a total level of from about 3% to about 20%, more preferably from about 5% to about 15%, and especially from about 7% to about 12% by weight of the polyhydric alcohol, or mixtures thereof.

Suitable polyhydric alcohols for use herein include polyalkylene glycols and more preferably alkylene polyols and their derivatives, including propylene glycol, dipropylene glycol, polypropylene glycol, polyethylene glycol and derivatives thereof, sorbitol, hydroxypropyl sorbitol, erythritol, threitol, pentaerythritol, xylitol, glucitol, mannitol, hexylene glycol, butylene glycol (e.g., 1,3-butylene glycol), hexane triol (e.g., 1,2,6-hexanetriol), trimethylol propane, neopentyl glycol, glycerine, ethoxylated glycerine and propoxylated glycerine.

Preferred polyhydric alcohols of the present invention are selected from glycerine, butylene glycol, propylene glycol, dipropylene glycol, polyethylene glycol and derivatives

thereof, hexane triol, ethoxylated glycerine and propoxylated glycerine, or mixtures thereof.

Most preferred polyhydric alcohols for use in the present invention are glycerine and polyethylene glycol and derivatives thereof, or mixtures thereof.

From the viewpoint of providing improved tack benefits, the weight ratio of the cation containing polymer to polyhydric alcohol is preferably in the range of from about 1:200 to about 1:1 and more preferably in the range of from about 1:100 to about 1:5.

Oil Phase


Preferably the cosmetic compositions herein are in the form of an emulsion of one or more oil phases in an aqueous continuous phase, each oil phase comprises a single oily component or a mixture of oily components in miscible or homogeneous form. Different oil phases contain different materials or combinations of materials from each other. The total level of oil phase components in the compositions of the invention is typically from about 0.1% to about 60%, preferably from about 1% to about 30%, more preferably from about 1% to about 10% and most preferably from 2% to 10%.

Preferably, the oil phase components of the compositions herein comprise an emollient material or mixtures thereof, a polyol carboxylic acid ester and a silicone oil, or mixtures thereof.

In preferred embodiments, the oil phase preferably comprises additional oily components such as a natural or synthetic oils selected from mineral, vegetable, and animal oils, fats and waxes, fatty acid esters, fatty alcohols, fatty acids and mixtures thereof. These oily components are present in an amount of from about 0.1% to about 15%, more preferably from about 1% to about 10% by weight of composition. Preferred for use herein are for example, saturated and unsaturated fatty alcohols such as behenyl alcohol, cetyl alcohol and stearyl alcohol and hydrocarbons such as mineral oils or petrolatum. Further examples suitable for use herein are disclosed in WO98/22085. Preferred embodiments herein comprise from about 0.1% to about 10% by weight of an unsaturated fatty acid or ester as described in WO98/22085.


Emollient materials

The compositions of the present invention can comprise emollient materials selected from branched chain hydrocarbons having an weight average molecular weight of from about 100 to about 15,000, preferably from about 100 to 1000; compounds of formula I:



Formula I

wherein R¹ is selected from H or CH₃, R², R³ and R⁴ are independently selected from C₁-C₂₀ straight chain or branched chain alkyl, and x is an integer of from 1-20; and compounds having the formula (II):



Formula II

wherein R⁵ is selected from optionally hydroxy or C₁-C₄ alkyl substituted benzyl and R₆ is selected from C₁-C₂₀ branched or straight chain alkyl; and mixtures thereof.

- 15 Suitable branched chain hydrocarbons for use herein are selected from isododecane, isohexadecane, isoeicosane, isooctahexacontane, isohexapentacontahectane, isopentacontaoctactane, and mixture thereof. Suitable for use herein are branched chain aliphatic hydrocarbons sold under the trade name Permethyl (RTM) and commercially available from Presperse Inc., P.O. Box 735, South Plainfield, N.J. 07080, U.S.A.
- 20 Suitable ester emollient materials of Formula I above include, but are not limited to, methyl isostearate, isopropyl isostearate, isostearyl neopentanoate, isononyl isononanoate, isodecyl octanoate, isodecyl isononanoate, tridecyl isononanoate, myristyl octanoate, octyl pelargonate, octyl isononanoate, myristyl myristate, myristyl neopentanoate, myristyl octanoate, myristyl propionate, isopropyl myristate and mixtures thereof. Suitable ester
- 25 emollient materials of Formula (II) include but are not limited to C₁₂-15 alkyl benzoates.

Preferred emollients for use herein are isohexadecane, isooctadecane, isononyl isononanoate, isodecyl octanoate, isodecyl isononanoate, tridecyl isononanoate, myristyl octanoate, octyl isononanoate, myristyl myristate, methyl isostearate, isopropyl isostearate, C12-15 alkyl benzoates and mixtures thereof.

- 5 Particularly preferred emollients for use herein are isohexadecane, isononyl isononanoate, methyl isostearate, isopropyl isostearate, or mixtures thereof.

The emollient material is preferably present in the compositions at a level of from about 0.1% to about 10%, preferably from about 0.1% to about 8%, especially from about 0.5% to about 5% by weight of composition.

10 Polyol carboxylic acid ester

The compositions of the present invention may further comprise as an additional emollient, a polyol carboxylic acid ester.

- The compositions of the present invention preferably comprise from about 0.01% to about 20%, more preferably from about 0.1% to about 15%, and especially from about 0.1% to about 10% by weight of the polyol ester. The level of polyol ester by weight of the oil in the composition is preferably from about 1% to about 30%, more preferably from about 5% to about 20%. From the viewpoint of providing improved skin softness and smoothness benefits, the weight ratio of the carboxylic acid polyol ester to the
15
20
1:5, more preferably in the range of from 2:1 to about 1:2.

- The preferred polyol polyesters useful in this invention are C₁-C₃₀ mono- and polyesters of sugars and related materials. These esters are derived from a sugar or polyol moiety and one or more carboxylic acid moieties. Depending on the constituent acid and sugar, these esters can be in either liquid or solid form at room temperature. Examples
25 include: glucose tetraoleate, the galactose tetraesters of oleic acid, the sorbitol tetraoleate, sucrose tetraoleate, sucrose pentaoleate, sucrose hexaoleate, sucrose heptaoleate, sucrose octaoleate, sorbitol hexaester in which the carboxylic acid ester moieties are palmitoleate and arachidate in a 1:2 molar ratio, and the octaester of sucrose wherein the esterifying carboxylic acid moieties are laurate, linoleate and behenate in a 1:3:4 molar ratio. Other

materials include cottonseed oil or soybean oil fatty acid esters of sucrose. Other examples of such materials are described in WO 96/16636, incorporated by reference herein. A particularly preferred material is known by the INCI name sucrose polycottonseedate.

5 Silicone Oil

The present compositions preferably comprise, at least one silicone oil phase. Silicone oil phase(s) generally comprises from about 0.1% to about 20%, preferably from about 0.5% to about 10%, more preferably from about 0.5% to about 5%, of the composition. The, or each, silicone oil phase preferably comprises one or more silicone components.

- 10 Silicone components can be fluids, including straight chain, branched and cyclic silicones. Suitable silicone fluids useful herein include silicones inclusive of polyalkyl siloxane fluids, polyaryl siloxane fluids, cyclic and linear polyalkylsiloxanes, polyalkoxylated silicones, amino and quaternary ammonium modified silicones, polyalkylaryl siloxanes or a polyether siloxane copolymer and mixtures thereof. The silicone fluids can be volatile
- 15 or non-volatile. Silicone fluids generally have a weight average molecular weight of less than about 200,000. Suitable silicone fluids have a molecular weight of about 100,000 or less, preferably about 50,000 or less, most preferably about 10,000 or less. Preferably the silicone fluid is selected from silicone fluids having a weight average molecular weight in the range from about 100 to about 50,000 and preferably from about 200 to about 40,000.
- 20 Typically, silicone fluids have a viscosity ranging from about 0.65 to about 600,000 $\text{mm}^2.\text{s}^{-1}$, preferably from about 0.65 to about 10,000 $\text{mm}^2.\text{s}^{-1}$ at 25°C. The viscosity can be measured by means of a glass capillary viscometer as set forth in Dow Corning Corporate Test Method CTM0004, July 29, 1970. Suitable polydimethyl siloxanes that can be used herein include those available, for example, from the General Electric
- 25 Company as the SF and Viscasil (RTM) series and from Dow Corning as the Dow Corning 200 series. Also useful are essentially non-volatile polyalkylarylsiloxanes, for example, polymethylphenylsiloxanes, having viscosities of about 0.65 to 30,000 $\text{mm}^2.\text{s}^{-1}$ at 25°C. These siloxanes are available, for example, from the General Electric Company as SF 1075 methyl phenyl fluid or from Dow Corning as 556 Cosmetic Grade Fluid.

Cyclic polydimethylsiloxanes suitable for use herein are those having a ring structure incorporating from about 3 to about 7 $(\text{CH}_3)_2\text{SiO}$ moieties.

In preferred embodiments, the silicone fluid is selected from dimethicone, decamethylcyclopentasiloxane, octamethylcyclotetrasiloxane, phenyl methicone, and mixtures thereof.

Silicone gums can also be used herein. The term "silicone gum" herein means high molecular weight silicones having a weight average molecular weight in excess of about 200,000 and preferably from about 200,000 to about 4,000,000. Included are non-volatile polyalkyl and polyaryl siloxane gums. In preferred embodiments, a silicone oil phase comprises a silicone gum or a mixture of silicones including the silicone gum. Typically, silicone gums have a viscosity at 25°C in excess of about 1,000,000 mm^2s^{-1} . The silicone gums include dimethicones as described by Petrarch and others including US-A-4,152,416, May 1, 1979 to Spitzer, et al, and Noll, Walter, Chemistry and Technology of Silicones, New York: Academic Press 1968. Also describing silicone gums are General Electric Silicone Rubber Product Data Sheets SE 30, SE 33, SE 54 and SE 76. Specific examples of silicone gums include polydimethylsiloxane, (polydimethylsiloxane)(methylvinylsiloxane) copolymer, poly(dimethylsiloxane)-(diphenyl)(methylvinylsiloxane) copolymer and mixtures thereof. Preferred silicone gums for use herein are silicone gums having a molecular weight of from about 200,000 to about 4,000,000 selected from dimethiconol, and dimethicone and mixtures thereof.

A silicone phase herein preferably comprises a silicone gum incorporated into the composition as part of a silicone gum-fluid blend. When the silicone gum is incorporated as part of a silicone gum-fluid blend, the silicone gum preferably constitutes from about 5% to about 40%, especially from about 10% to 20% by weight of the silicone gum-fluid blend. Suitable silicone gum-fluid blends herein are mixtures consisting essentially of:

- (i) a silicone having a molecular weight of from about 200,000 to about 4,000,000 selected from dimethiconol, fluorosilicone and dimethicone and mixtures thereof; and

(ii) a carrier which is a silicone fluid, the carrier having a viscosity from about 0.65 mm².s⁻¹ to about 100 mm².s⁻¹,

wherein the ratio of i) to ii) is from about 10:90 to about 20:80 and wherein said silicone gum-based component has a final viscosity of from about 100 mm².s⁻¹ to about 100,000 mm².s⁻¹, preferably from 500 mm².s⁻¹ to about 10,000 mm².s⁻¹.

An especially preferred silicone-gum fluid blend based component for use in the compositions herein is a dimethiconol gum having a molecular weight of from about 200,000 to about 4,000,000 along with a silicone fluid carrier with a viscosity of about 0.65 to 100 mm².s⁻¹. An example of this silicone component is Dow Corning Q2-1403 (85% 5 mm².s⁻¹ Dimethicone Fluid/15% Dimethiconol) and Dow Corning Q2-1401 available from Dow Corning.

Further silicone components suitable for use in a silicone oil phase herein are crosslinked polyorganosiloxane polymers, optionally dispersed in a fluid carrier. In general, when present the crosslinked polyorganosiloxane polymers, together with its carrier (if present) comprises 0.1% to about 20%, preferably from about 0.5% to about 10%, more preferably from about 0.5% to about 5% of the composition. Such polymers comprise polyorganosiloxane polymers crosslinked by a crosslinking agent. Suitable crosslinking agents are disclosed in WO98/22085. Examples of suitable polyorganosiloxane polymers for use herein include methyl vinyl dimethicone, methyl vinyl diphenyl dimethicone and methyl vinyl phenyl methyl diphenyl dimethicone.

Specific commercially available crosslinked polyorganosiloxane polymers for use herein are silicone vinyl crosspolymer mixtures available under the tradename KSG supplied by Shinetsu Chemical Co., Ltd, for example KSG-15, KSG-16, KSG-17, KSG-18. These materials contain a combination of crosslinked polyorganosiloxane polymer and silicone fluid. Particularly preferred for use herein especially in combination with the organic amphiphilic emulsifier material is KSG-18. The assigned INCI names for KSG-15, KSG-16, KSG-17 and KSG-18 are cyclomethicone dimethicone/vinyl dimethicone crosspolymer, dimethicone dimethicone/vinyl dimethicone crosspolymer, cyclomethicone

dimethicone/vinyl dimethicone crosspolymer and phenyl trimethicone dimethicone/phenyl vinyl dimethicone crosspolymer, respectively.

Another class of silicone components suitable for use in a silicone oil phase herein includes polydiorganosiloxane-polyoxyalkylene copolymers containing at least one
5 polydiorganosiloxane segment and at least one polyoxyalkylene segment. Suitable polydiorganosiloxane segments and copolymers thereof are disclosed in WO98/22085. Suitable polydiorganosiloxane-polyalkylene copolymers are available commercially under the tradenames Belsil (RTM) from Wacker-Chemie GmbH, Geschäftsbereich S, Postfach D-8000 Munich 22 and Abil (RTM) from Th. Goldschmidt Ltd., Tego House, Victoria
10 Road, Ruislip, Middlesex, HA4 0YL, for example Belsil (RTM) 6031 and Abil (RTM) B88183. A particularly preferred copolymer fluid blend for use herein includes Dow Corning DC3225C which has the CTFA designation Dimethicone/Dimethicone copolyol.

Amphiphilic Surfactant

A further preferred component of the compositions herein is an organic amphiphilic
15 surfactant which is capable of forming smectic lyotropic crystals in product or when the product is being applied to the skin at ambient or elevated temperatures. The organic amphiphilic surfactant has been found to be especially valuable herein for improving the stability and skin feel of the compositions of the invention. Preferably the compositions herein comprise non-ionic amphiphilic surfactants at a level of from about 0.01 % to
20 about 4%, preferably from about 0.05% to about 3%, and more preferably from about 0.08% to about 2%. Preferred classes of non-ionic amphiphilic surfactants suitable herein and their properties are disclosed in WO98/22085, incorporated herein by reference. Preferred herein are the mono-, di- and tri-acyl sugar esters and mixtures thereof wherein the acyl substituents contain from about 8 to about 24, preferably from about 8 to about
25 20 carbon atoms and 0,1 or 2 unsaturated moieties and polyethylene glycol derivatives, or mixtures thereof. High preferred herein is a fatty acid ester blend based on a mixture of sorbitan or sorbitol fatty acid ester and sucrose fatty acid ester, the fatty acid in each instance being preferably C₈-C₂₄, more preferably C₁₀-C₂₀. The preferred fatty acid ester emulsifier from the viewpoint of moisturisation is a blend of sorbitan or sorbitol
30 C₁₆-C₂₀ fatty acid ester with sucrose C₁₀-C₁₆ fatty acid ester, especially sorbitan

stearate and sucrose cocoate. This is commercially available from ICI under the trade name Arlatone 2121.

Humectants

The compositions of the present invention may comprise additional humectants which are preferably present at a level of from about 0.01% to about 20%, more preferably from about 0.1% to about 15% and especially from about 0.5% to about 15%.

Suitable additional humectants useful herein are sodium 2-pyrrolidone-5-carboxylate (NaPCA), guanidine; glycolic acid and glycolate salts (e.g. ammonium and quaternary alkyl ammonium); lactic acid and lactate salts (e.g. ammonium and quaternary alkyl ammonium); aloe vera in any of its variety of forms (e.g., aloe vera gel); hyaluronic acid and derivatives thereof (e.g., salt derivatives such as sodium hyaluronate); lactamide monoethanolamine; acetamide monoethanolamine; urea; panthenol and derivatives thereof; and mixtures thereof.

At least part (up to about 5% by weight of composition) of an additional humectant can be incorporated in the form of an admixture with a particulate cross-linked hydrophobic acrylate or methacrylate copolymer, itself preferably present in an amount of from about 0.1% to about 10%, which can be added either to the aqueous or disperse phase. This copolymer is particularly valuable for reducing shine and controlling oil while helping to provide effective moisturization benefits and is described in further detail by WO96/03964, incorporated herein by reference.

The above listed compounds may be incorporated singly or in combination. Preferred additional humectants are selected from urea, panthenol and mixtures thereof.

Particularly preferred from the viewpoint of boosting moisturisation is a combination of glycerine and urea. In preferred embodiments, urea is preferably present in a level of from about 0.1% to about 20%, more preferably from about 0.5% to about 10% and especially from about 1% to about 5% by weight of composition.

In preferred embodiments, the oil phase and organic amphiphilic surfactant when present are premixed in water at a temperature above the Kraft Point of the organic amphiphilic surfactant (but preferably below about 60°C) to form a liquid crystal/oil in water

dispersion prior to addition of the urea. The urea is found to be especially effective herein in combination with the amphiphilic emulsifier surfactant and the polyol fatty acid polyester for providing outstanding skin moisturisation and softening in the context of an oil-in-water skin care emulsion composition.

- 5 A wide variety of optional ingredients such as additional thickening agents, non-occlusive moisturisers, neutralising agents, perfumes, colouring agents and surfactants, can also be added to the skin compositions herein.

Further additional thickeners useful herein are water-soluble glyceryl poly(meth)acrylate lubricants (such as Hispagel®); polyglycerylmethacrylate lubricants available under the
10 trademark Lubrajel (RTM) from Guardian Chemical Corporation, 230 Marcus Blvd., Hauppauge, N.Y. 11787, and mixtures thereof. In general, Lubrajels can be described as hydrates or clathrates which are formed by the reaction of sodium glycerate with a methacrylic acid polymer. Thereafter, the hydrate or clathrate is stabilized with a small amount of propylene glycol, followed by controlled hydration of the resulting product.

15 Lubrajels are marketed in a number of grades of varying glycerate: polymer ratio and viscosity. Suitable Lubrajels include Lubrajel TW, Lubrajel CG and Lubrajel MS, Lubrajel WA, Lubrajel DV and so-called Lubrajel Oil.

Neutralizing agents suitable for use in neutralizing acidic group containing hydrophilic gelling agents herein include sodium hydroxide, potassium hydroxide, ammonium
20 hydroxide, monoethanolamine, diethanolamine, amino methyl propanol, tris-buffer and triethanolamine.

The compositions of the invention are generally in emulsion form and are preferably formulated so as to have a product viscosity of at least about 4,000 mPa.s and preferably in the range from about 4,000 to about 300,000 mPa.s, more preferably from about 8,000
25 to about 250,000 mPa.s and especially from about 10,000 to about 200,000 mPa.s and even more especially from about 10,000 to about 150,000 mPa.s (25°C, neat, Brookfield RVT, T-C Spindle at 5 rpms and Heliopath Stand).

The compositions of the invention can also contain from about 0.01% to about 10%, preferably from about 0.1% to about 5% of a panthenol moisturizer. The panthenol

moisturizer can be selected from D-panthenol ([R]-2,4-dihydroxy-N-[3-hydroxypropyl])-3,3-dimethylbutamide), DL-panthenol, calcium pantothenate, royal jelly, panthetine, pantotheine, panthenyl ethyl ether, pangamic acid, pyridoxin, pantoyl lactose and Vitamin B complex.

- 5 Other optional materials include keratolytic agents/desquamation agents such as salicylic acid; proteins and polypeptides and derivatives thereof; water-soluble or solubilizable preservatives preferably at a level of from about 0.1% to about 5%, such as Germall 115, methyl, ethyl, propyl and butyl esters of hydroxybenzoic acid, benzyl alcohol, EDTA, Euxyl (RTM) K400, Bromopol (2-bromo-2-nitropropane-1,3-diol) and phenoxypropanol; 10 anti-bacterials such as Irgasan (RTM) and phenoxyethanol (preferably at levels of from 0.1% to about 5%); soluble or colloiddally-soluble moisturising agents such as hylaronic acid and starch-grafted sodium polyacrylates such as Sanwet (RTM) IM-1000, IM-1500 and IM-2500 available from Celanese Superabsorbent Materials, Portsmouth, VA, USA and described in USA-A-4,076,663; vitamins such as vitamin A, vitamin C, vitamin E and 15 derivatives thereof and vitamin K; alpha and beta hydroxyacids; aloe vera; sphingosines and phytosphingosines, cholesterol; skin whitening agents; N-acetyl cysteine; colouring agents; perfumes and perfume solubilizers.

- Also useful herein are sunscreensing agents. A wide variety of sunscreensing agents are described in U.S. Patent No. 5,087,445, to Haffey et al., issued February 11, 1992; U.S. 20 Patent No. 5,073,372, to Turner et al., issued December 17, 1991; U.S. Patent No. 5,073,371, to Turner et al. issued December 17, 1991; and Segarin, et al., at Chapter VIII, pages 189 et seq., of Cosmetics Science and Technology. Preferred among those sunscreens which are useful in the compositions of the invention are those selected from 2-ethylhexyl p-methoxycinnamate, 2-ethylhexyl N,N-dimethyl-p-aminobenzoate, p- 25 aminobenzoic acid, 2-phenylbenzimidazole-5-sulfonic acid, octocrylene, oxybenzone, homomenthyl salicylate, octyl salicylate, 4,4'-methoxy-t-butylidibenzoylmethane, 4-isopropyl dibenzoylmethane, 3-benzylidene camphor, 3-(4-methylbenzylidene) camphor, titanium dioxide, zinc oxide, silica, iron oxide, Parsol MCX, Eusolex 6300, Octocrylene, Parsol 1789, and mixtures thereof. Still other useful sunscreens are those disclosed in

U.S. Patent No. 4,937,370, to Sabatelli, issued June 26, 1990; and U.S. Patent No. 4,999,186, to Sabatelli et al., issued March 12, 1991.

Generally, the sunscreens can comprise from about 0.5% to about 20% of the compositions useful herein. Exact amounts will vary depending upon the sunscreen chosen and the desired Sun Protection Factor (SPF). SPF is a commonly used measure of photoprotection of a sunscreen against erythema. See Federal Register, Vol. 43, No. 166, pp. 38206-38269, August 25, 1978.

The compositions of the present invention can additionally comprise from about 0.1% to about 5% by weight of aluminium starch octenylsuccinate. Aluminium starch octenylsuccinate is the aluminium salt of the reaction product of octenylsuccinic anhydride with starch and is commercially available under the trade name from Dry Flo National Starch & Chemical Ltd. Dry Flo is useful herein from the viewpoint of skin feel and application characteristics.

Other optional materials herein include pigments which, where water-insoluble, contribute to and are included in the total level of oil phase ingredients. Pigments suitable for use in the compositions of the present invention can be organic and/or inorganic. Also included within the term pigment are materials having a low colour or lustre such as matte finishing agents, and also light scattering agents. Preferably the compositions of the present invention comprise particulate materials having a refractive index of from about 1.3 to about 1.7, the particulate materials being dispersed in the composition and having a median particle size of from about 2 to about 30 μm . Preferably the particulates useful herein have relatively narrow distributions, by which is meant that more than 50% of the particles fall within 3 μm either side of the respective median value. Also preferred is that more than 50%, preferably more than 60%, more preferably more than 70% of particles fall within the size ranges prescribed for the respective median values. Suitable particulate materials are organic or organosilicone and preferably organosilicone polymers. Preferred particles are free-flowing, solid, materials. By "solid" is meant that the particles are not hollow. The void at the centre of hollow particles can have an adverse effect on refractive index and therefore the visual effects of the particles on either skin or the composition. Suitable organic particulate materials include those made of

polymethylsilsesquioxane, referenced above, polyamide, polythene, polyacrylonitrile, polyacrylic acid, polymethacrylic acid, polystyrene, polytetrafluoroethylene (PTFE) and poly(vinylidene chloride). Copolymers derived from monomers of the aforementioned materials can also be used. Inorganic materials include silica and boron nitride.

- 5 Representative commercially available examples of useful particulate materials herein are Tospearl® 145 which has a median particle size of about 4.5 µm and EA-209® from Kobo which is an ethylene / acrylic acid copolymer having a median particle size of about 10 µm, or mixtures thereof.

- Further examples of suitable pigments are titanium dioxide, predispersed titanium dioxide
10 from Kobo e.g. Kobo GWL75CAP, iron oxides, acyglutamate iron oxides, ultramarine blue, D&C dyes, carmine, and mixtures thereof. Depending upon the type of composition, a mixture of pigments will normally be used. The preferred pigments for use herein from the viewpoint of moisturisation, skin feel, skin appearance and emulsion compatibility are treated pigments. The pigments can be treated with compounds such as
15 amino acids, silicones, lecithin and ester oils.

Vitamin B₃ component

- The compositions of the present invention can also comprise a safe and effective amount of a vitamin B₃ compound. The compositions of the present invention preferably
comprise from about 0.01% to about 50%, more preferably from about 0.1% to about
20 20%, even more preferably from about 0.5% to about 10%, and still more preferably from about 1% to about 8%, most preferably from about 1.5% to about 6%, of the vitamin B₃ compound.

As used herein, "vitamin B₃ compound" means a compound having the formula:



- 25 wherein R is - CONH₂ (i.e., niacinamide), - COOH (i.e., nicotinic acid) or - CH₂OH (i.e., nicotinyl alcohol); derivatives thereof; and salts of any of the foregoing. Exemplary

derivatives of the foregoing vitamin B₃ compounds include nicotinic acid esters, including non-vasodilating esters of nicotinic acid, nicotinyl amino acids, nicotinyl alcohol esters of carboxylic acids, nicotinic acid N-oxide and niacinamide N-oxide.

- Suitable esters of nicotinic acid include nicotinic acid esters of C₁-C₂₂, preferably C₁-C₁₆, more preferably C₁-C₆ alcohols. The alcohols are suitably straight-chain or branched chain, cyclic or acyclic, saturated or unsaturated (including aromatic), and substituted or unsubstituted. The esters are preferably non-vasodilating. As used herein, "non-vasodilating" means that the ester does not commonly yield a visible flushing response after application to the skin in the subject compositions (the majority of the general population would not experience a visible flushing response, although such compounds may cause vasodilation not visible to the naked eye). Non-vasodilating esters of nicotinic acid include tocopherol nicotinate and inositol hexanicotinate; tocopherol nicotinate is preferred. A more complete description of vitamin B₃ compounds is given in WO 98/22085.
- Examples of the above vitamin B₃ compounds are well known in the art and are commercially available from a number of sources, e.g., the Sigma Chemical Company (St. Louis, MO); ICN Biomedicals, Inc. (Irvin, CA) and Aldrich Chemical Company (Milwaukee, WI). One or more vitamin B₃ compounds may be used herein. Preferred vitamin B₃ compounds are niacinamide and tocopherol nicotinate. Niacinamide is more preferred.

Retinoids

- The compositions of the present invention may also contain a retinoid. As used herein, "retinoid" includes all natural and/or synthetic analogs of Vitamin A or retinol-like compounds which possess the biological activity of Vitamin A in the skin as well as the geometric isomers and stereoisomers of these compounds. The retinoid is preferably retinol, retinol esters (e.g., C₂ - C₂₂ alkyl esters of retinol, including retinyl palmitate, retinyl acetate, retinyl propionate), retinal, and/or retinoic acid (including all-trans retinoic acid and/or 13-cis-retinoic acid), more preferably retinoids other than retinoic acid. These compounds are well known in the art and are commercially available from a

number of sources, e.g., Sigma Chemical Company (St. Louis, MO), and Boehringer Mannheim (Indianapolis, IN). Preferred retinoids are retinol, retinyl palmitate, retinyl acetate, retinyl propionate, retinal and combinations thereof. More preferred are retinol and retinyl palmitate. The retinoid may be included as the substantially pure material, or
 5 as an extract obtained by suitable physical and/or chemical isolation from natural (e.g., plant) sources.

The compositions preferably contain from or about 0.005% to or about 2%, more preferably 0.01% to about 2% retinoid. Retinol is most preferably used in an amount of from or about 0.01% to or about 0.15%; retinol esters are most preferably used in an
 10 amount of from about 0.01% to about 2% (e.g., about 1%).

Further, the combination of vitamin B₃ compound with a retinoid may provide benefits in regulating skin condition, as described in WO98/22085, herein incorporated by reference.

Suitably, the pH of the compositions herein is greater than 4.25, preferably greater than 4.5 and more preferably greater than 4.75, also preferably less than 9, more preferably less
 15 than 8 and even more preferably less than 7. The water content of the compositions herein is generally from about 30% to about 98.89%, preferably from about 50% to about 95% and especially from about 60% to about 90% by weight.

The compositions of the invention are preferably in the form of a moisturising cream or lotion, which can be applied to the skin as a leave-on product. The invention is illustrated
 20 by the following examples.

Examples I to VI

<u>Ingredient</u>	<u>%</u>	<u>%</u>	<u>%</u>	<u>%</u>	<u>%</u>	<u>%</u>
	<u>w/w</u>	<u>w/w</u>	<u>w/w</u>	<u>w/w</u>	<u>w/w</u>	<u>w/w</u>
Glycerine	7.00	7.00	9.00	12.00	15.00	-
Polyethylene glycol 200 ¹	-	3.00	-	-	-	10.00
Urea	-	2.20	1.80	-	-	-
Kronos (TiO ₂) ²	-	0.15	0.15	-	0.15	0.15
Kobo GWL75CAP ³	0.50	-	0.20	0.30	-	-

30

Tospearl 145a ⁴	-	-	0.50	2.00	-	-
Arlatone 2121 ⁵	1.00	1.00	1.00	1.00	1.00	1.00
Sepigel 305 ⁶	2.50	1.50	3.00	3.00	2.00	3.00
Sodium Hydroxide (40% soln.)	0.03	0.04	0.05	0.08	0.10	0.10
Hydrofol Acid	0.09	0.10	0.12	0.13	0.10	0.10
Myrj 59 ⁷	0.10	0.10	0.10	0.10	0.10	0.10
Stearyl Alcohol	0.38	0.40	0.32	0.48	0.80	1.2
Cetyl Alcohol	0.80	1.00	0.72	0.72	1.80	0.80
Isopropyl Isostearate ⁸	1.50	0.75	1.50	1.00	0.5	2.00
SEFA Cottonate ⁹	1.00	1.50	0.75	1.80	-	-
Isohexadecane	1.00	-	-	-	0.50	1.00
Petrolatum	-	-	-	-	1.20	0.50
Ethyl paraben	0.10	0.15	0.15	0.20	0.20	0.25
Propyl paraben	0.15	0.20	0.25	0.30	0.25	0.25
Benzyl alcohol	0.15	0.20	0.20	0.25	0.25	0.30
D-Panthenol	0.50	0.50	-	-	0.50	1.00
Niacinamide	2.00	2.50	-	-	2.00	5.00
Di-sodium EDTA	0.10	0.10	0.10	0.10	0.10	0.10
DC Q2-1403 ¹⁰	1.60	1.60	1.80	1.50	2.00	2.50
Tocopherol acetate	0.50	0.25	0.25	0.75	0.50	-
Polyquaternium 39 ¹³	0.15	0.20	0.25	-	-	-
Polyquaternium 10 ¹⁴	0.10	-	-	0.20	0.30	0.35
Deionised Water	to	to	to	to	to	to
	100	100	100	100	100	100

1. Supplied by Union Carbide Corporation, Danbury, Conn., USA

2. Supplied by Kronos, 4 Place Ville Marie # 500, Montreal, Quebec, Canada

3. Supplied by Kobo Products Inc, 690 Montrose Ave, So Plainfield, NJ 07080

4. Supplied by GE Silicones, Plasticslaan 1/PO Box 117, 4600 AC Bergen op Zoom, Netherlands
5. Supplied by ICI Surfactants, PO Box 90, Wilton Centre, Middlesborough, Cleveland, England. TS6 8JE
- 5 6. Supplied by Seppic, 75 Quai D'Orsay, Paris
7. PEG 100 Stearate supplied by ICI, PO Box 90, Wilton Centre, Middlesborough, Cleveland, England. TS6 8JE
8. Supplied by Scher Chemicals Inc, Industrial West, Clifton, NJ 07012
9. A C1-C30 monoester or polyester of sugars and one or more carboxylic acid moieties as described herein, preferably a sucrose polyester in which the degree of esterification is 7-8, and in which the fatty acid moieties are C18 mono- and/or di-unsaturated and behenic, in a molar ratio of unsaturates:behenic of 1:7 to 3:5, more preferably the octaester of sucrose in which there are about 7 behenic fatty acid moieties and about 1 oleic acid moiety in the molecule, e.g., sucrose ester of cottonseed oil fatty acids.
- 10 10. Supplied by Dow Corning, Kings Court, 185 Kinds Rd, Reading, Berks, RG1 4EX
11. Supplied by Union Carbide Corporation, Danbury, Conn., USA
12. Supplied by Aqualon (Hercules Inc), Noordweg 9, 3336 LH Zwinjndrecht, P.O Box 71, 3330 AB Zwijndrecht, The Netherlands
13. Supplied by Calgon Corporation, 43 Hawthorne Av, NJ 07506
- 20 14. Supplied by Union Carbide Corporation, Danbury, Conn., USA

The compositions are made as follows:

- A first premix of anionic thickening agents (if present), glycerine/TiO₂ premix, cation containing polymer, Arlatone 2121 when present, and other water soluble ingredients apart from urea, is prepared by admixing in water and heating to about 80°C. A second
- 25 premix of the oil phase ingredients including the emulsifiers, oil-soluble preservatives, other than silicone oil is prepared by mixing and heating and is added to the aqueous premix.

If polymeric anionic thickener is present, sodium hydroxide is then added to neutralise to pH 6-7.5 before shearing and cooling to about 60°C. In the presence of polymeric non-ionic thickeners, the process is as described above but the polymeric thickener e.g. Sepigel 305 (polyacrylamide) is not added until the mixture is cooled to 60°C. The

5 Sepigel 305 is added under shear and then the NaOH solution added. In both cases, EDTA, silicone oil, and then urea solution (1g dissolved in 1ml of water) are then added to the resulting oil-in-water emulsion and the mixture is cooled before adding minor ingredients. The composition is ready for packaging.

The compositions display low levels of tack, as well as good rheological, absorption and
10 insulation properties, in addition to skin feel, skin softness and skin smoothness benefits.

1970-1979		1980-1989		1990-1999		2000-2009		2010-2019	
Year	Age	Year	Age	Year	Age	Year	Age	Year	Age
1970	10	1980	10	1990	10	2000	10	2010	10
1971	11	1981	11	1991	11	2001	11	2011	11
1972	12	1982	12	1992	12	2002	12	2012	12
1973	13	1983	13	1993	13	2003	13	2013	13
1974	14	1984	14	1994	14	2004	14	2014	14
1975	15	1985	15	1995	15	2005	15	2015	15
1976	16	1986	16	1996	16	2006	16	2016	16
1977	17	1987	17	1997	17	2007	17	2017	17
1978	18	1988	18	1998	18	2008	18	2018	18
1979	19	1989	19	1999	19	2009	19	2019	19
1980	20	1990	20	2000	20	2010	20	2020	20
1981	21	1991	21	2001	21	2011	21	2021	21
1982	22	1992	22	2002	22	2012	22	2022	22
1983	23	1993	23	2003	23	2013	23	2023	23
1984	24	1994	24	2004	24	2014	24	2024	24
1985	25	1995	25	2005	25	2015	25	2025	25
1986	26	1996	26	2006	26	2016	26	2026	26
1987	27	1997	27	2007	27	2017	27	2027	27
1988	28	1998	28	2008	28	2018	28	2028	28
1989	29	1999	29	2009	29	2019	29	2029	29
1990	30	2000	30	2010	30	2020	30	2030	30
1991	31	2001	31	2011	31	2021	31	2031	31
1992	32	2002	32	2012	32	2022	32	2032	32
1993	33	2003	33	2013	33	2023	33	2033	33
1994	34	2004	34	2014	34	2024	34	2034	34
1995	35	2005	35	2015	35	2025	35	2035	35
1996	36	2006	36	2016	36	2026	36	2036	36
1997	37	2007	37	2017	37	2027	37	2037	37
1998	38	2008	38	2018	38	2028	38	2038	38
1999	39	2009	39	2019	39	2029	39	2039	39
2000	40	2010	40	2020	40	2030	40	2040	40
2001	41	2011	41	2021	41	2031	41	2041	41
2002	42	2012	42	2022	42	2032	42	2042	42
2003	43	2013	43	2023	43	2033	43	2043	43
2004	44	2014	44	2024	44	2034	44	2044	44
2005	45	2015	45	2025	45	2035	45	2045	45
2006	46	2016	46	2026	46	2036	46	2046	46
2007	47	2017	47	2027	47	2037	47	2047	47
2008	48	2018	48	2028	48	2038	48	2048	48
2009	49	2019	49	2029	49	2039	49	2049	49
2010	50	202							

WHAT IS CLAIMED IS:

1. A leave-on cosmetic composition suitable for topical application to the skin comprising:
 - a) a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000 and;
 - b) a cation containing polymer, or mixtures thereof;wherein said composition comprises less than 4% of an anionic, zwitterionic, or amphoteric surfactant.
2. A composition according to Claim 1 wherein the cation containing polymer is selected from cationic or ampholytic polymers, or mixtures thereof.
3. A composition according to any of Claims 1 to 2 wherein the cation containing polymer is a cationic polysaccharide or derivative thereof.
4. A composition according to any of Claims 1 to 3 wherein the cation containing polymer is an ampholytic acrylic acid containing copolymer.
5. A composition according to any of Claims 1 to 4 wherein the cation containing polymer is selected from cationic cellulosic derivatives, cationic polysaccharide guar gum derivatives and acrylic acid/diallyl dimethyl ammonium chloride/acrylamide copolymers, or mixtures thereof.
6. A composition according to any of Claims 1 to 5 comprising from about 0.01% to about 20%, preferably from about 0.05% to about 5%, more preferably from about 0.1% to about 1% by weight of the cation containing polymer, or mixtures thereof.
7. A composition according to any of Claims 1 to 6 wherein the polymeric thickening agent has a number average molecular weight of greater than 50,000 and especially greater than 100,000.
8. A composition according to any of Claims 1 to 7 wherein the polymeric thickening agent is selected from selected from polyacrylamide polymers, and acrylic acid/ethyl acrylate copolymers, or mixtures thereof.

9. A composition according to any of Claims 1 to 8 wherein the polymeric thickening agent is a polyacrylamide polymer.
10. A composition according to any of Claims 1 to 9 comprising from about 0.01% to about 10%, preferably from about 0.1% to about 8% and most preferably from about 0.5% to about 5% by weight of the polymeric thickening agent, or mixtures thereof.
11. A composition according to any of Claims 1 to 10 further comprising from about 3% to about 20% of a polyhydric alcohol, or mixtures thereof.
12. A composition according to any of Claims 1 to 11 wherein the composition preferably comprises from less than 2%, and more preferably less than 1% of an anionic, zwitterionic or amphoteric surfactant.
13. A composition according to any of Claims 1 to 12 wherein when the composition comprises an anionic surfactant, the composition has a ratio of cation containing polymer to anionic surfactant of greater than 1.
14. A cosmetic method of treatment of the skin comprising applying to the skin a composition according to any of Claims 1 to 13.
15. Use of a cation containing polymer, or mixtures thereof, for reducing levels of tack in a skin care composition comprising a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000.
16. Use of a composition comprising a polymeric thickening agent selected from non-ionic and anionic thickening agents, or mixtures thereof, having a number average molecular weight of greater than 20,000 and a cation containing polymer, or mixtures thereof for a leave-on skin care application.

In the U.S. National Phase Entry
Under 35 USC 371 from
International Application of
BELL, Michael David et al.
Int'l. Application No. PCT/US00/04082
Filed in the RO/US on 17 February 2000
Entitled: *Cosmetic Compositions*

Assistant Commissioner for Patents
Box PCT
Washington, D.C. 20231

You are requested to recognize F. Tsuneki (Registration No. 40,512), W. J. Winter (Registration No. 36,060), B. J. Corstanje (Registration No. 34,804), A. E. Matthews (Registration No. 43,780), J. L. Oney, Jr. (Registration No. 42,964), A. A. Paul (Registration No. 46,405), and L. M. Sivik (Registration No. 44,982), of The Procter & Gamble Company, Cincinnati, Ohio, as Associate Attorneys to prosecute this application, to make alterations and amendments therein, and to transact all business in the Patent Office connected with the application or with the patent granted thereupon.

A. E. Matthews, Patent Attorney
Customer Number 27740

By

T. David Reed
Agent for Applicant
Registration No. 32,931

Cincinnati, Ohio
07 August 2001
(513) 627-7025/FAX 627-6333

DECLARATION COMBINED WITH POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

"Cosmetic Compositions"

bearing the above listed Procter & Gamble Company Case number, the specification of which was filed as PCT/US00/04082, designating at least the United States of America, with the United States Receiving Office on 17 February 2000.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37 Code of Federal Regulations §1.56.

I hereby claim foreign priority benefits under Title 35 United States Code §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN APPLICATION(S) TO WHICH WE CLAIM PRIORITY:

9903925.7 GB 19 February 1999

I hereby claim the benefit under Title 35 United States Code §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35 United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37 Code of Federal Regulations §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Appln. Serial No.)	(Filing Date)	(Status)(patented, pending, abandoned)
(Appln. Serial No.)	(Filing Date)	(Status)(patented, pending, abandoned)

09890921-080701

I hereby appoint the following as my attorney(s) or agent(s) with full power of substitution to prosecute this application and transact all business in the Patent and Trademark office connected therewith:

Name	Registration No.	Associate Power of Attorney Attached [] Yes [] No
------	------------------	--

Jacobus C. Rasser	37,043
Donald E. Hasse	29,387
T. David Reed	32,931
Eileen L. Hughett	34,352
Timothy B. Guffey	41,048
Emelyn L. Hiland	41,501

SEND CORRESPONDENCE TO:

T. David Reed, c/o The Procter Gamble Company (513) 627-7025

Name	Phone No.
5299 Spring Grove Avenue Cincinnati Ohio	45217-1087
Street City State	Zip Code

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: ¹⁻⁰⁰ BELL, Michael David

Inventor's signature Michael David Bell Date 16th March 2000

Residence: 61 Masefield Gardens Crowthorne, Berkshire RG45 7QS GB

Citizenship: GB

Post Office Address:

61 Masefield Gardens, Crowthorne, Berkshire RG45 7QS, GB

Full name of second joint inventor, if any: ²⁻⁰⁰ ROLLS, Richard George Albert

Inventor's signature Richard George Albert Rolls Date 16th March 2000

Residence: 4 Bison Court 30 Hounslow Road Feltham, TW14 9DD GB

Citizenship: CA

Post Office Address:

4 Bison Court, 30 Hounslow Road, Feltham, TW14 9DD, GB

Full name of third joint inventor, if any: ³⁻⁰⁰ ELLIOTT, Russell Philip

Inventor's signature Russell Philip Elliott Date 20th March 2000

Residence: 14 Nobles Way Egham, Surrey TW20 9RJ GB

Citizenship: GB

Post Office Address:

Full name of fourth joint inventor, if any: ⁴⁻⁰⁰ DUKE, Roland Philip

Inventor's signature Roland Philip Duke Date 4th April 2000

Residence: 15 Camellia Way Wokingham, Berks RG41 3NB GB

Citizenship: GB

Post Office Address:

15 Camellia Way, Wokingham, Berks RG41 3NB, GB

Full name of fifth joint inventor, if any: . . .

Inventor's signature _____ Date _____

Residence:

Citizenship:

Post Office Address: _____

09890921-030701
T02090"12606360